



Designed to Fit Your Air and Power Needs Without a Welder

When weight is the issue, the **Vanair Contractor** can't be beat. The three head cylinder design on the air compressor means temperatures run cooler for constant duty air usage. The system offers: electrical for most power tools and a maximum capacity ³/₄" impact wrench.

SPECIFICATIONS

SPECIFICATIONS			
Engine		14 HP Kohler or 18 HP Kohler	É
Compressor Type		Reciprocating	PWA
Generator Wattage		5 kW peak watts 120V/240V	
Max Pressure (psi)		150	
CFM Rating		20 cfm	
Air Storage Capacity		8 gallon, 30 gallon, or Remote Tank	
Drive System		Dual v-belt	
Fuel Capacity (gal.)	Kohler 14	1.75	
	Kohler 18	4.5 or 12	
Weight (lbs.)		425-550	
Dimensions - 8 gal. (in.)	Kohler 14	17W x 51L x 26H	
	Kohler 18	20.125W x 48.125L x 29H	
Dimensions - 30 gal. (in.)	Kohler 14	19W x 51L x 38H	
	Kohler 18	20.125W x 48.125L x 41H	
Skid Mount	Kohler 14	19W x 51L x 22.5H	
	Kohler 18	20.125W x 48.125L x 25H	

30 gal. model will fit in standard 48" utility bodies.



800.526.8817 | vanair.com

SPECIAL FEATURES

- Cast iron air pump (3 cylinder head design for better cooling)
- · Auto throttle control on air compressor
- Reliable and easy starting Kohler engines
- Drive System Heavy duty belt drive system for anti-vibration and long service intervals
- Electric start
- Totally self contained, but can be integrated with the chassis for maximum versatility
- Available in either 8 gallon, 30 gallon, or Remote Tank configuration
- Integrated lift hook and battery tray
- Designed for easy maintenance and fuel efficiency
- · Powder coated sheet metal
- Galvannealed steel

ALSO AVAILABLE IN:

8 Gallon and Skid Mount

OPTIONS/ACCESSORIES

- Remote condensation drain
- · Cold weather kits
- · Maintenance kits
- Remote mount control panel (Kohler 18 only)
- Electric fuel pump (Kohler 18 only)
- Slimline 11 gal fuel tank (Kohler 18 only)
- Remote air tank options
- Dry cell battery
- · Hose reels
- GFCI outlet for protection of 120V/240V

Product improvement is a continuing goal. Design and specifications are subject to change without notice or obligations.

